

**APPENDIX I:  
SURGICAL CODES**



**Alphabetical Index by Primary Site for Surgical Codes**

<b>Primary Site</b>	<b>ICD-O Code(s)</b>	<b>Appendix I Page #</b>
Accessory sinuses	C31.0-C31.9	77
Adnexa of eye	C69.0-C69.9	77
Adrenal gland	C74.0-C74.9	77
Anal canal and anus	C21.0-C21.8	29
Anus and anal canal	C21.0-C21.8	29
Articular cartilage, bones, & joints of limbs & other & unspecified sites	C40.0-C41.9	41
Autonomic nervous system and peripheral nerves	C47.0-C47.9	41
Biliary tract, other, and unspecified parts of	C24.0-C24.9	77
Bladder	C67.0-C67.9	68
Blood	C42.0	39
Bone marrow	C42.1	39
Bones, joints, and articular cartilage of limbs and other and unspecified sites	C40.0-C41.9	41
Brain	C71.0-C71.9	71
Breast	C50.0-C50.9	50
Bronchus and lung	C34.0-C34.9 3	37
Cervix uteri	C53.0-C53.9	53
Central Nervous System (CNS) parts, other, spinal cord, and cranial nerves	C72.0-C72.9	71
Colon	C18.0-C18.9	20
Connective, subcutaneous, and other soft tissues	C49.0-C49.9	41
Corpus uteri	C54.0-C55.9	56
Cranial nerves, spinal cord, and other CNS parts	C72.0-C72.9	71
Digestive organs, other, and ill-defined digestive organs	C26.0-C26.9	77
Ear, middle	C30.1	77
Endocrine glands, other, and related structures	C75.0-C75.9	77
Esophagus	C15.0-C15.9	15
Eye and adnexa of eye	C69.0-C69.9	77
Gallbladder	C23.9	77
Gastrointestinal tract, NOS	C26.9	77
Genital organs, female, other, and unspecified organs	C57.0-C57.9	77
Genital organs, male, other, and unspecified organs	C63.0-C63.9	77
Gum	C03.0-C03.9	6
Heart	C38.0	77
Heart, mediastinum, and pleura, overlapping lesion of	C38.8	77
Hematopoietic Diseases	C42.0-C42.4	39
Hypopharynx	C13.0-C13.9	13
Ill-defined primary	C76.0-C76.8	85
Immunoproliferative Diseases	C42.0-C42.4	39
Intestinal tract, NOS	C26.0	77
Intrahepatic bile ducts	C22.1	31
Intrathoracic organs and respiratory system, other, and ill-defined sites	C39.0-C39.9	77
Joints, bones, & articular cartilage of limbs & other & unspecified sites	C40.0-C41.9	41
Kidney	C64.9	66

<b>Primary Site</b>	<b>ICD-O Code(s)</b>	<b>Appendix I Page #</b>
Larynx	C32.0-C32.9	35
Lip	C00.0-C00.9	6
Oral cavity, and pharynx, other, and ill-defined sites in	C14.2-C14.8	77
Liver	C22.0	31
Lung and bronchus	C34.0-C34.9	37
Lymph nodes	C77.0-C77.9	75
Mediastinum	C38.1-C38.3	77
Mediastinum, heart, and pleura, overlapping lesion of	C38.8	77
Meninges	C70.0-C70.9	71
Mouth, floor of	C04.0-C04.9	6
Mouth, other, and unspecified parts of	C06.0-C06.9	6
Myeloproliferative Disorders	C42.1	39
Nasal cavity	C30.0	77
Nasopharynx	C11.0-C11.9	13
Oral cavity	C00.0-C06.9	6
Oral cavity and pharynx, other and ill-defined sites of	C14.2-C14.8	77
Oropharynx	C10.0-C10.9	13
Ovary	C56.9	59
Palate	C05.0-C05.9	6
Pancreas	C25.0-C25.9	33
Parotid gland	C07.9	10
Penis	C60.0-C60.9	77
Peripheral nerves and autonomic nervous system	C47.0-C47.9	41
Peritoneum	C48.1-C48.2	77
Peritoneum and retroperitoneum, overlapping lesion of	C48.8	77
Pharynx, oral cavity, other and ill-defined sites of	C14.2-C14.8	77
Pharynx, NOS	C14.0	13
Placenta	C58.9	77
Pleura, heart, mediastinum, overlapping lesion of	C38.8	77
Pleura, NOS	C38.4	77
Prostate gland	C61.9	62
Pyriform sinus	C12.9	13
Rectosigmoid junction	C19.9	23
Rectum	C20.9 2	6
Renal pelvis	C65.9	66
Respiratory system and intrathoracic organs, other, and ill-defined sites within	C39.0-C39.9	77
Reticuloendothelial System	C42.3	39
Retroperitoneum	C48.0	77
Retroperitoneum and peritoneum, overlapping lesion of	C48.8	77
Salivary glands, major; other, and unspecified glands	C08.0-C08.9	10
Skin	C44.0-C44.9	47
Small intestine	C17.0-C17.9	77
Soft tissues, other, and connective and subcutaneous tissues	C49.0-C49.9	41
Spinal cord, cranial nerves, and other CNS parts	C72.0-C72.9	71
Spleen	C42.2	45

<b>Primary Site</b>	<b>ICD-O Code(s)</b>	<b>Appendix I Page #</b>
Stomach	C16.0-C16.9	17
Subcutaneous, connective, and other soft tissues	C49.0-C49.9	41
Testis	C62.0-C62.9	64
Thymus	C37.9	77
Thyroid gland	C73.9	73
Tongue, base of	C01.9	6
Tongue, other, and unspecified parts of	C02.0-C02.9	6
Tonsil	C09.0-C09.9	13
Trachea	C33.9	77
Unknown primary site	C80.9	85
Ureter	C66.9	66
Urinary bladder	C67.0-C67.9	68
Urinary organs, other and unspecified organs	C68.0-C68.9	77
Uterus, NOS	C55.9	56
Vagina	C52.9	77
Vulva	C51.0-C51.9	77

**ORAL CAVITY**

**Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue  
C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate  
C05.0-C05.9, Other Parts of Mouth C06.0-C06.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**SURGERY OF PRIMARY SITE****Codes**

00 None; no surgery of primary site; autopsy ONLY

- 10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser

**No specimen sent to pathology from surgical events 10–14.**

20 Local tumor excision, NOS

- 26 Polypectomy
  - 27 Excisional biopsy
- Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
  - 22 Electrocautery
  - 23 Cryosurgery
  - 24 Laser ablation
- 25 Laser excision

**Specimen sent to pathology from surgical events 20–27.**

30 Wide excision, NOS

**Code 30 includes:**

- Hemiglossectomy
- Partial glossectomy

40 Radical excision of tumor, NOS

- 41 Radical excision of tumor ONLY
- 42 Combination of 41 WITH resection in continuity with mandible (marginal, segmental, hemi-, or total resection)
- 43 Combination of 41 WITH resection in continuity with maxilla (partial, subtotal, or total resection)

**Codes 40–43 include:**

- Total glossectomy
- Radical glossectomy

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

**ORAL CAVITY**

**Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue  
C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate  
C05.0-C05.9, Other Parts of Mouth C06.0-C06.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**REGIONAL LYMPH NODES****Cheek (Buccal) Mucosa, Vestibule**

Cervical, NOS

Facial: Buccinator (buccal)

Nasolabial

Internal jugular, NOS:

Deep cervical, NOS:

Lower, NOS:

Jugulo-omohyoid (supraomohyoid)

Middle

Upper, NOS:

Jugulodigastric (subdigastric)

Mandibular, NOS:

Submandibular (submaxillary)

Submental

Parotid, NOS:

Infra-auricular

Preauricular

**Floor of Mouth**

Cervical, NOS

Internal jugular, NOS:

Deep cervical, NOS:

Lower, NOS:

Jugulo-omohyoid (supraomohyoid)

Middle

Upper, NOS:

Jugulodigastric (subdigastric)

Mandibular, NOS:

Submandibular (submaxillary)

Submental

Sublingual

**Gum**

Cervical, NOS

Facial, NOS:

Buccinator (buccal)

Nasolabial

Internal jugular, NOS:

Deep cervical, NOS:

Lower, NOS:

Jugulo-omohyoid (supraomohyoid)

Middle

Upper, NOS: Jugulodigastric (subdigastric)

**ORAL CAVITY**

**Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue  
C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate  
C05.0-C05.9, Other Parts of Mouth C06.0-C06.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES (continued)****Gum (continued)**

Mandibular, NOS:

Submandibular (submaxillary)

Submental

Retropharyngeal **for upper gum**

**Hard Palate**

Buccinator

Cervical, NOS

Internal jugular, NOS:

Deep cervical, NOS:

Lower, NOS:

Jugulo-omohyoid (supraomohyoid)

Middle

Upper, NOS:

Jugulodigastric (subdigastric)

Mandibular, NOS:

Submandibular (submaxillary)

Submental

Retropharyngeal

**Lip**

Cervical, NOS

Facial, NOS

Buccinator (buccal) **for upper lip**

Nasolabial **for upper lip**

Internal jugular, NOS

Deep cervical, NOS

Lower, NOS

Jugulo-omohyoid (supraomohyoid)

Middle

Upper, NOS

Jugulodigastric (subdigastric)

Mandibular **for lower lip:**

Submandibular (submaxillary)

Submental

Parotid:

Infra-auricular **for upper lip**

Preauricular **for upper lip**

**ORAL CAVITY**

**Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue  
C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate  
C05.0-C05.9, Other Parts of Mouth C06.0-C06.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**REGIONAL LYMPH NODES (continued)****Other parts of mouth**

Cervical, NOS  
 Internal jugular, NOS:  
   Deep cervical, NOS:  
     Lower, NOS:  
       Jugulo-omohyoid (supraomohyoid)  
     Middle  
     Upper, NOS:  
       Jugulodigastric (subdigastric)  
 Mandibular, NOS:  
   Submandibular (submaxillary)  
   Submental  
 Posterior triangle/supraclavicular

**Soft Palate, Uvula**

Cervical, NOS  
 Internal jugular, NOS:  
   Deep cervical, NOS:  
     Lower, NOS:  
       Jugulo-omohyoid (supraomohyoid)  
     Middle  
     Upper, NOS:  
       Jugulodigastric (subdigastric)  
 Mandibular, NOS:  
   Submandibular (submaxillary)  
   Submental  
 Retropharyngeal

**Tongue**

Cervical, NOS  
 Internal jugular, NOS:  
   Deep cervical, NOS:  
     Lower, NOS:  
       Jugulo-omohyoid (supraomohyoid)  
     Middle  
     Upper, NOS:  
       Jugulodigastric (subdigastric)  
 Mandibular, NOS:  
   Submandibular (submaxillary)  
   Submental  
 Sublingual

**PAROTID AND OTHER UNSPECIFIED GLANDS**  
**Parotid Gland C07.9, Major Salivary Glands C08.0-C08.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

## **SURGERY OF PRIMARY SITE**

### **Codes**

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

**No specimen sent to pathology from surgical events 10–14.**

20 Local tumor excision, NOS

26 Polypectomy

27 Excisional biopsy

Any combination of 20 or 26–27 WITH

21 Photodynamic therapy (PDT)

22 Electrocautery

23 Cryosurgery

24 Laser ablation

25 Laser excision

**Specimen sent to pathology from surgical events 20–27.**

30 Less than total parotidectomy, NOS; less than total removal of major salivary gland, NOS

31 Facial nerve spared

32 Facial nerve sacrificed

33 Superficial lobe ONLY

34 Facial nerve spared

35 Facial nerve sacrificed

36 Deep lobe (Total)

37 Facial nerve spared

38 Facial nerve sacrificed

40 Total parotidectomy, NOS; total removal of major salivary gland, NOS

41 Facial nerve spared

42 Facial nerve sacrificed

50 Radical parotidectomy, NOS; radical removal of major salivary gland, NOS

51 WITHOUT removal of temporal bone

52 WITH removal of temporal bone

53 WITH removal of overlying skin (requires graft or flap coverage)

80 Parotidectomy, NOS

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

**PAROTID AND OTHER UNSPECIFIED GLANDS**  
**Parotid Gland C07.9, Major Salivary Glands C08.0-C08.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

**All sites**

Cervical, NOS for **parotid gland and other major salivary glands**

Mandibular, NOS:

    Submandibular (submaxillary)

    Submental

    Retropharyngeal

**Parotid gland**

Parotid node(s):

    Infra-auricular

    Intraparotid

    Preauricular

**Submandibular**

Internal jugular, NOS:

    Deep cervical, NOS:

        Middle

        Upper, NOS:

            Jugulodigastric (subdigastric)

**PHARYNX**

**Tonsil C09.0-C09.9, Oropharynx C10.0-C10.9, Nasopharynx C11.0-C11.9, Pyriform Sinus C12.9, Hypopharynx C13.0-C13.9, Pharynx C14.0**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE****Codes**

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
  - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
  - 13 Cryosurgery
  - 14 Laser
  - 15 Stripping
- No specimen sent to pathology from surgical events 10-15.**
- 20 Local tumor excision, NOS
- 26 Polypectomy
  - 27 Excisional biopsy
- Any combination of 20 or 26-27 WITH
- 21 Photodynamic therapy (PDT)
  - 22 Electrocautery
  - 23 Cryosurgery
  - 24 Laser ablation
- 25 Laser excision
  - 28 Stripping
- Specimens sent to pathology from surgical events 20-28.**
- 30 Pharyngectomy, NOS
- 31 Limited/partial pharyngectomy; tonsillectomy, bilateral tonsillectomy
  - 32 Total pharyngectomy
- 40 Pharyngectomy WITH laryngectomy OR removal of contiguous bone tissue, NOS (does NOT include total mandibular resection)
- 41 WITH Laryngectomy (laryngopharyngectomy)
  - 42 WITH bone
  - 43 WITH both 41 and 42
- 50 Radical pharyngectomy (includes total mandibular resection), NOS
- 51 WITHOUT laryngectomy
  - 52 WITH laryngectomy
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**PHARYNX**

**Tonsil C09.0-C09.9, Oropharynx C10.0-C10.9, Nasopharynx C11.0-C11.9, Pyriform Sinus C12.9, Hypopharynx C13.0-C13.9, Pharynx C14.0**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES****Nasopharynx**

Cervical, NOS  
 Internal jugular, NOS:  
   Deep cervical, NOS:  
     Upper, NOS:  
       Jugulodigastric (subdigastric)  
 Mandibular, NOS:  
   Submandibular (submaxillary)  
   Submental  
 Retropharyngeal  
 Spinal accessory (posterior cervical)

**Pyriform Sinus, Hypopharynx, Laryngopharynx**

Cervical, NOS  
 Internal jugular, NOS:  
   Deep cervical, NOS:  
     Lower, NOS:  
       Jugulo-omohyoid (supraomohyoid)  
     Middle  
 Mandibular, NOS:  
   Submandibular (submaxillary)  
   Submental  
 Parapharyngeal  
 Paratracheal  
   Recurrent pharyngeal nerve chain  
 Prelaryngeal  
   Delphian node  
 Retropharyngeal

**Pharynx, NOS**

Cervical, NOS  
 Internal jugular, NOS:  
   Deep cervical, NOS:  
     Lower, NOS:  
       Jugulo-omohyoid (supraomohyoid)  
     Middle  
     Upper, NOS:  
       Jugulodigastric (subdigastric)  
 Mandibular, NOS:  
   Submandibular (submaxillary)  
   Submental  
 Parapharyngeal

**PHARYNX**

**Tonsil C09.0-C09.9, Oropharynx C10.0-C10.9, Nasopharynx C11.0-C11.9, Pyriform Sinus C12.9, Hypopharynx C13.0-C13.9, Pharynx C14.0**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES (Continued)**

**Pharynx, NOS (continued)**

- Paratracheal
  - Recurrent pharyngeal nerve chain
- Prelaryngeal
  - Delphian node
- Retropharyngeal

**Tonsil, Oropharynx**

- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Middle
  - Upper, NOS:
    - Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Retropharyngeal

**ESOPHAGUS  
C15.0-C15.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**SURGERY OF PRIMARY SITE****Codes**

- 00 None; no surgery of primary site; autopsy ONLY
  
  - 10 Local tumor destruction, NOS
    - 11 Photodynamic therapy (PDT)
    - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
    - 13 Cryosurgery
    - 14 Laser**No specimen sent to pathology from surgical events 10–14.**
  
  - 20 Local tumor excision, NOS
    - 26 Polypectomy
    - 27 Excisional biopsyAny combination of 20 or 26–27 WITH
    - 21 Photodynamic therapy (PDT)
    - 22 Electrocautery
    - 23 Cryosurgery
    - 24 Laser ablation  - 25 Laser excision
- Specimen sent to pathology from surgical events 20–27.**
- 
- 30 Partial esophagectomy
- 
- 40 Total esophagectomy, NOS
- 
- 50 Esophagectomy, NOS WITH laryngectomy and/or gastrectomy, NOS
  - 51 WITH laryngectomy
  - 52 WITH gastrectomy, NOS
  - 53 Partial gastrectomy
  - 54 Total gastrectomy
  - 55 Combination of 51 WITH any of 52–54
- 
- 80 Esophagectomy, NOS
- 
- 90 Surgery, NOS
- 
- 99 Unknown if surgery performed; death certificate ONLY

## ESOPHAGUS C15.0-C15.9

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

### REGIONAL LYMPH NODES

#### Cervical Esophagus

Cervical, NOS:

Anterior deep cervical (laterotracheal) (recurrent laryngeal)

Internal jugular, NOS:

Deep cervical, NOS:

Upper, NOS:

Jugulodigastric (subdigastric)

Lower, NOS

Peri-/paraesophageal (upper and lower)

Scalene (inferior deep cervical)

Supraclavicular (transverse cervical) Peri-/paraesophageal

#### Intrathoracic, lower (abdominal) Esophagus

Left gastric (superior gastric):

Cardiac (cardial)

Lesser curvature

Perigastric, NOS

Peri-/paraesophageal

Posterior mediastinal (tracheoesophageal)

Subcarinal

#### Intrathoracic, upper thoracic or middle, Esophagus:

Internal jugular, NOS:

Deep cervical, NOS:

Lower, NOS:

Jugulo-omohyoid (supraomohyoid)

Middle

Upper, NOS:

Jugulodigastric (subdigastric)

Intrabronchial:

Carinal (tracheobronchial) (tracheal bifurcation)

Hilar (bronchopulmonary) (proximal lobar) (pulmonary root)

Peritracheal

Left gastric (superior gastric):

Cardiac (cardial)

Lesser curvature

Perigastric, NOS

Mediastinal Posterior (tracheoesophageal) and superior

Peri-/paraesophageal (upper and lower)

Subcarinal

## STOMACH C16.0-C16.9

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

### SURGERY OF PRIMARY SITE

#### Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

**No specimen sent to pathology from surgical events 10–14.**

20 Local tumor excision, NOS

26 Polypectomy

27 Excisional biopsy

Any combination of 20 or 26–27 WITH

21 Photodynamic therapy (PDT)

22 Electrocautery

23 Cryosurgery

24 Laser ablation

25 Laser excision

**Specimen sent to pathology from surgical events 20–27.**

30 Gastrectomy, NOS (partial, subtotal, hemi-)

31 Antrectomy, lower (distal-less than 40% of stomach)\*\*\*

32 Lower (distal) gastrectomy (partial, subtotal, hemi-)

33 Upper (proximal) gastrectomy (partial, subtotal, hemi-)

#### **Code 30 includes:**

Partial gastrectomy, including a sleeve resection of the stomach

Billroth I: anastomosis to duodenum (duodenostomy)

Billroth II: anastomosis to jejunum (jejunostomy)

40 Near-total or total gastrectomy, NOS

41 Near-total gastrectomy

42 Total gastrectomy

**A total gastrectomy may follow a previous partial resection of the stomach.**

50 Gastrectomy, NOS WITH removal of a portion of esophagus

51 Partial or subtotal gastrectomy

52 Near total or total gastrectomy

**Codes 50–52 are used for gastrectomy resection when only portions of esophagus are included in procedure.**

**STOMACH  
C16.0-C16.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE (continued)**

**Codes**

60 Gastrectomy with a resection in continuity with the resection of other organs, NOS\*\*\*

61 Partial or subtotal gastrectomy, in continuity with the resection of other organs\*\*\*

62 Near total or total gastrectomy, in continuity with the resection of other organs\*\*\*

63 Radical gastrectomy, in continuity with the resection of other organs\*\*\*

**Codes 60-63 are used for gastrectomy resections with organs other than esophagus. Portions of esophagus may or may not be included in the resection.**

80 Gastrectomy, NOS

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

\*\*\* Incidental splenectomy NOT included

## STOMACH C16.0-C16.9

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

### REGIONAL LYMPH NODES

#### Gastroesophageal Junction

- Celiac
- Diaphragmatic
- Left gastric
- Lower esophageal
- Pericardial

#### Stomach

- Celiac
- Hepatic
- Left gastric (superior gastric), NOS:
  - Cardial
  - Cardioesophageal
  - Gastric, left
  - Gastropancreatic, left
  - Lesser curvature
  - Lesser omentum
  - Paracardial
- Pancreaticosplenic (pancreaticolienal)
- Perigastric, NOS
- Peripancreatic
- Right gastric (inferior gastric), NOS:
  - Gastrocolic
  - Gastroduodenal
  - Gastroepiploic (gastro-omental), right or NOS
  - Gastrohepatic
  - Greater curvature
  - Greater omental
  - Infrapyloric
  - Pancreaticoduodenal
  - Pyloric, NOS:
    - Infrapyloric (subpyloric)
    - Suprapyloric
- Splenic (lienal), NOS:
  - Gastroepiploic (gastro-omental), left
  - Splenic Hilar

**COLON**  
**C18.0-C18.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

## SURGERY OF PRIMARY SITE

**Code** removal/surgical ablation of single or multiple liver metastases under the data item *Surgical Procedure/Other Site*.

### Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

**No specimen sent to pathology from surgical events 10–14.**

20 Local tumor excision, NOS

27 Excisional biopsy

26 Polypectomy, NOS

28 Polypectomy-endoscopic

29 Polypectomy-surgical excision

Any combination of 20 or 26–29 WITH

21 Photodynamic therapy (PDT)

22 Electrocautery

23 Cryosurgery

24 Laser ablation

25 Laser excision

**Specimen sent to pathology from surgical events 20–29.**

30 Partial colectomy, segmental resection

32 Plus resection of contiguous organ; example: small bowel, bladder

40 Subtotal colectomy/hemicolectomy (total right or left colon and a portion of transverse colon)

41 Plus resection of contiguous organ; example: small bowel, bladder

50 Total colectomy (removal of colon from cecum to the rectosigmoid junction; may include a portion of the rectum)

51 Plus resection of contiguous organ; example: small bowel, bladder

60 Total proctocolectomy (removal of colon from cecum to the rectosigmoid junction, including the entire rectum)

61 Plus resection of contiguous organ; example: small bowel, bladder

**COLON  
C18.0-C18.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**SURGERY OF PRIMARY SITE (continued)**

**Codes**

70 Colectomy or coloproctectomy with resection of contiguous organ(s), NOS (where there is not enough information to code 32, 41, 51, or 61)

**Code 70 includes:** Any colectomy (partial, hemicolectomy, or total) WITH a resection of any other organs in continuity with the primary site. Other organs may be partially or totally removed. Other organs may include, but are not limited to, oophorectomy, partial proctectomy, rectal mucosectomy, or pelvic exenteration.

80 Colectomy, NOS

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

**COLON  
C18.0-C18.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**REGIONAL LYMPH NODES**

**All colon subsites:**

- Colic, NOS
- Epicolic (adjacent to bowel wall)
- Mesenteric, NOS
- Paracolic/pericolic
- Nodule(s) in pericolic fat

**Ascending colon:**

- Ileocolic
- Middle colic
- Right colic

**Cecum and Appendix:**

- Cecal, NOS
  - Anterior (prececal)
  - Posterior (retrocecal)
- Ileocolic
- Right colic

**Descending colon:**

- Inferior mesenteric
- Left colic
- Sigmoid

**Sigmoid:**

- Inferior mesenteric
- Sigmoidal (sigmoid mesenteric)
- Superior hemorrhoidal
- Superior rectal

**Transverse colon and flexures:**

- Inferior mesenteric **for splenic flexure only**
- Left colic **for splenic flexure only**
- Middle colic
- Right colic **for hepatic flexure only**

## RECTOSIGMOID C19.9

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

### SURGERY OF PRIMARY SITE

**Code** removal/surgical ablation of single or multiple liver metastases under the data item *Surgical Procedure/Other Site*.

#### Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser ablation

**No specimen sent to pathology from surgical events 10–14.**

20 Local tumor excision, NOS

26 Polypectomy

27 Excisional biopsy

Combination of 20 or 26–27 WITH

21 Photodynamic therapy (PDT)

22 Electrocautery

23 Cryosurgery

24 Laser ablation

25 Laser excision

**Specimen sent to pathology from surgical events 20–27.**

30 Wedge or segmental resection; partial proctosigmoidectomy, NOS

31 Plus resection of contiguous organs; example: small bowel, bladder

**Procedures coded 30 include, but are not limited to:**

Anterior resection

Hartmann operation

Low anterior resection (LAR)

Partial colectomy, NOS

Rectosigmoidectomy, NOS

Sigmoidectomy

40 Pull through WITH sphincter preservation (colo-anal anastomosis)

50 Total proctectomy

51 Total colectomy

55 Total colectomy WITH ileostomy, NOS

56 Ileorectal reconstruction

57 Total colectomy WITH other pouch; example: Koch pouch

**RECTOSIGMOID  
C19.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**SURGERY OF PRIMARY SITE (continued)**

**Codes**

- 60 Total proctocolectomy, NOS
  - 65 Total proctocolectomy WITH ileostomy, NOS
  - 66 Total proctocolectomy WITH ileostomy and pouch

**Removal of the colon from cecum to the rectosigmoid or a portion of the rectum.**
- 70 Colectomy or proctocolectomy resection in continuity with other organs; pelvic exenteration
- 80 Colectomy, NOS; Proctectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**RECTOSIGMOID**

**C19.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**REGIONAL LYMPH NODES**

Colic, NOS

    Left colic

Hemorrhoidal, superior or middle

Inferior mesenteric

Mesenteric, NOS

Paracolic/pericolic

Paravertebral

Perirectal

Rectal

Sigmoidal (sigmoid mesenteric)

Superior rectal

## RECTUM C20.9

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

### SURGERY OF PRIMARY SITE

**Code** removal/surgical ablation of single or multiple liver metastases under the data item *Surgical Procedure/Other Site*.

#### Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

**No specimen sent to pathology from surgical events 10-14.**

20 Local tumor excision, NOS

27 Excisional biopsy

26 Polypectomy

Any combination of 20 or 26–27 WITH

21 Photodynamic therapy (PDT)

22 Electrocautery

23 Cryosurgery

24 Laser ablation

25 Laser excision

28 Curette and fulguration

**Specimen sent to pathology from surgical events 20–28.**

30 Wedge or segmental resection; partial proctectomy, NOS

**Procedures coded 30 include, but are not limited to:**

Anterior resection

Hartmann's operation

Low anterior resection (LAR)

Transsacral Rectosigmoidectomy

40 Pull through WITH sphincter preservation (coloanal anastomosis)

50 Total proctectomy

**Procedure coded 50 includes, but is not limited to:**

Abdominoperineal resection (Miles Procedure)

60 Total proctocolectomy, NOS

70 Proctectomy or proctocolectomy with resection in continuity with other organs; pelvic exenteration

80 Proctectomy, NOS

**RECTUM  
C20.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**SURGERY OF PRIMARY SITE (continued)**

**Codes**

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

**RECTUM  
C20.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**REGIONAL LYMPH NODES**

Hemorrhoidal, superior, middle or inferior

Inferior mesenteric

Internal iliac (hypogastric), NOS:

Obturator

Mesenteric, NOS

Perirectal

Rectal

Sacral, NOS:

Lateral (laterosacral)

Middle sacral (promontorial) (Gerota's node)

Presacral

Sigmoidal (sigmoid mesenteric)

**ANUS  
C21.0-C21.8**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**SURGERY OF PRIMARY SITE****Codes**

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

15 Thermal Ablation

**No specimen sent to pathology from surgical events 10–15.**

20 Local tumor excision, NOS

26 Polypectomy

27 Excisional biopsy

Any combination of 20 or 26–27 WITH

21 Photodynamic therapy (PDT)

22 Electrocautery

23 Cryosurgery

24 Laser ablation

25 Laser excision

**Specimen sent to pathology from surgical events 20–27.**

60 Abdominal perineal resection, NOS (APR; Miles procedure)

61 APR and sentinel node excision

62 APR and unilateral inguinal lymph node dissection

63 APR and bilateral inguinal lymph node dissection

**The lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery*.**

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

**ANUS  
C21.0-C21.8**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Anorectal

Inferior hemorrhoidal

Internal iliac (hypogastric), NOS: **for anus and anal canal:**

Obturator **for anus and anal canal**

Lateral sacral (laterosacral)

Paravertebral

Perirectal

Superficial inguinal (femoral) **for anus and anal canal**

**LIVER AND INTRAHEPATIC BILE DUCTS**  
**C22.0-C22.1**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**SURGERY OF PRIMARY SITE****Codes**

- 00 None; no surgery of primary site; autopsy ONLY
  
- 10 Local tumor destruction, NOS
  - 11 Photodynamic therapy (PDT)
  - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
  - 13 Cryosurgery
  - 14 Laser
  - 15 Alcohol (Percutaneous Ethanol Injection-PEI)
  - 16 Heat-Radio-frequency ablation (RFA)
  - 17 Other (ultrasound, acetic acid)**No specimen sent to pathology from surgical events 10–17.**
  
- 20 Wedge or segmental resection, NOS
  - 21 Wedge resection
  - 22 Segmental resection, NOS
    - 23 One
    - 24 Two
    - 25 Three
  - 26 Segmental resection AND local tumor destruction**Specimen sent to pathology from surgical events 20–26.**
  
- 30 Lobectomy, NOS
  - 36 Right lobectomy
  - 37 Left lobectomy
  - 38 Lobectomy AND local tumor destruction
  
- 50 Extended lobectomy, NOS (extended: resection of a single lobe plus a segment of another lobe)
  - 51 Right lobectomy
  - 52 Left lobectomy
  - 59 Extended lobectomy AND local tumor destruction
  
- 60 Hepatectomy, NOS
  - 61 Total hepatectomy and transplant
  
- 65 Excision of a bile duct (for an intra-hepatic bile duct primary only)
  - 66 Excision of a bile duct PLUS partial hepatectomy
  
- 75 Bile duct and hepatectomy WITH transplant
  
- 90 Surgery, NOS
  
- 99 Unknown if surgery performed; death certificate ONLY

## LIVER AND INTRAHEPATIC BILE DUCTS

### C22.0-C22.1

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

## REGIONAL LYMPH NODES

Caval

Hepatic, NOS:

    Hepatic artery

    Hepatic pedicle

    Inferior vena cava

    Porta hepatis (portal) (hilar) [in hilus of liver]

Hepatoduodenal ligament

Periportal

**PANCREAS  
C25.0-C25.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE**

**Codes**

- 00 None; no surgery of primary site; autopsy ONLY
- 25 Local excision of tumor, NOS
- 30 Partial pancreatectomy, NOS; example: distal
- 35 Local or partial pancreatectomy and duodenectomy
  - 36 WITHOUT distal/partial gastrectomy
  - 37 WITH partial gastrectomy (Whipple)
- 40 Total pancreatectomy
- 60 Total pancreatectomy and subtotal gastrectomy or duodenectomy
- 70 Extended pancreatoduodenectomy
- 80 Pancreatectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**PANCREAS**  
**C25.0-C25.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Celiac

Hepatic

Infrapyloric (subpyloric)

Lateral aortic (lumbar)

Pancreaticosplenic (pancreaticolienal)

Peripancreatic, NOS:

Anterior, NOS:

Anterior pancreaticoduodenal

Anterior proximal mesenteric

Pyloric

Inferior to the head and body of pancreas

Posterior, NOS:

Pericholedochal (common bile duct)

Posterior pancreaticoduodenal

Posterior proximal mesentery

Superior to the head and body of pancreas

Pyloric

Retroperitoneal

Splenic (lienal):

Gastroepiploic (gastro-omental), left

Splenic hilum

Suprapancreatic

Superior mesenteric

**LARYNX  
C32.0-C32.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**SURGERY OF PRIMARY SITE****Codes**

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
  - 11 Photodynamic therapy (PDT)
  - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
  - 13 Cryosurgery
  - 14 Laser
  - 15 Stripping**No specimen sent to pathology from surgical events 10–15.**
- 20 Local tumor excision, NOS
  - 26 Polypectomy
  - 27 Excisional biopsy
  - Any combination of 20 or 26–27 WITH
    - 21 Photodynamic therapy (PDT)
    - 22 Electrocautery
    - 23 Cryosurgery
    - 24 Laser ablation
  - 25 Laser excision
  - 28 Stripping**Specimen sent to pathology from surgical events 20–28.**
- 30 Partial excision of the primary site, NOS; subtotal/partial laryngectomy NOS; hemilaryngectomy, NOS
  - 31 Vertical laryngectomy
  - 32 Anterior commissure laryngectomy
  - 33 Supraglottic laryngectomy
- 40 Total or radical laryngectomy, NOS
  - 41 Total laryngectomy ONLY
  - 42 Radical laryngectomy ONLY
- 50 Pharyngolaryngectomy
- 80 Laryngectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**LARYNX**  
**C32.0-C32.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**REGIONAL LYMPH NODES**

Anterior deep cervical (laterotracheal) (recurrent laryngeal):

Paralaryngeal

Paratracheal

Prelaryngeal:

Delphian node

Pretracheal

Cervical, NOS

Internal jugular, NOS:

Deep cervical, NOS:

Lower, NOS:

Jugulo-omohyoid (supraomohyoid)

Middle

Upper, NOS:

Jugulodigastric (subdigastric)

Mandibular, NOS:

Submandibular (submaxillary)

Submental

Retropharyngeal

## LUNG C34.0-C34.9

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

### SURGERY OF PRIMARY SITE

#### Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 19 Local tumor destruction or excision, NOS  
**Unknown whether a specimen was sent to pathology for surgical events coded 19**
- 15 Local tumor destruction, NOS
  - 12 Laser ablation or cryosurgery
  - 13 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)  
**No specimen sent to pathology from surgical events 12–13 and 15.**
- 20 Excision or resection of less than one lobe, NOS
  - 23 Excision, NOS
  - 24 Laser excision
  - 25 Bronchial sleeve resection ONLY
  - 21 Wedge resection
  - 22 Segmental resection, including lingulectomy  
**Specimen sent to pathology from surgical events 20–25.**
- 30 Resection of lobe or bilobectomy, but less than the whole lung (partial pneumonectomy, NOS)
  - 33 Lobectomy WITH mediastinal lymph node dissection  
**The lymph node dissection should be coded under *Scope of Regional Lymph Node Surgery*.**
- 45 Lobe or bilobectomy extended, NOS
  - 46 WITH chest wall
  - 47 WITH pericardium
  - 48 WITH diaphragm
- 55 Pneumonectomy, NOS
  - 56 WITH mediastinal lymph node dissection (radical pneumonectomy)  
**The mediastinal lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery*.**
- 65 Extended pneumonectomy
  - 66 Extended pneumonectomy plus pleura or diaphragm
- 70 Extended radical pneumonectomy  
**The mediastinal lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery*.**
- 80 Resection of lung, NOS
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**LUNG**  
**C34.0-C34.9**

(Except for M-9750, 9760–9764, 9800–9820, 9826, 9831–9920, 9931–9964, 9980–9989)

**REGIONAL LYMPH NODES**

Aortic [above diaphragm], NOS:

Peri-/para-aortic, NOS:

Ascending aorta (phrenic)

Subaortic (aortico-pulmonary window )

Bronchial

Carinal (tracheobronchial) (tracheal bifurcation)

Hilar (bronchopulmonary) (proximal lobar) (pulmonary root)

Intrapulmonary, NOS:

Interlobar

Lobar

Segmental

Subsegmental

Intrathoracic

Mediastinal, NOS:

Anterior

Posterior (tracheoesophageal)

Pericardial

Peri-/parabronchial

Peri-/paraesophageal

Peri-/paratracheal, NOS:

Azygos (lower peritracheal)

Pre- and retrotracheal, NOS:

Precarinal

Pulmonary ligament

Scalene

Subcarinal

Supraclavicular

**HEMATOPOIETIC/RETICULOENDOTHELIAL/IMMUNOPROLIFERATIVE/  
MYELOPROLIFERATIVE DISEASE**  
**C42.0, C42.1, C42.3, C42.4 (with any histology) or**  
**M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989**  
**(with any site)**

C42.0	Blood
C42.1	Bone marrow
C42.3	Reticuloendothelial system
C42.4	Hematopoietic system
9750	Malignant histiocytosis
9760	Immunoproliferative disease, NOS
9761	Waldenstrom macroglobulinemia
9763	Heavy chain disease
9764	Immunoproliferative small intestinal disease (Mediterranean lymphoma)
9800-9820, 9826, 9831-9920, 9940-9948	Leukemias
9931	Acute panmyelosis with fibrosis
9950	Polycythemia vera
9960	Chronic myeloproliferative disorder
9961	Myelosclerosis with myeloid metaplasia
9962	Essential thrombocythemia
9963	Chronic neutrophilic leukemia
9964	Hypereosinophilic syndrome
9980-9985	Refractory anemias
9986	Myelodysplastic syndrome with 5q deletion syndrome
9987	Therapy-related myelodysplastic syndrome, NOS
9989	Myelodysplastic syndrome, NOS

## **SURGERY OF PRIMARY SITE**

### **Code**

98 All hematopoietic/reticuloendothelial/immunoproliferative/myeloproliferative disease sites and/or histologies, WITH or WITHOUT surgical treatment.

**Surgical procedures for hematopoietic/reticuloendothelial/immunoproliferative/myeloproliferative primaries are to be recorded using the data item *Surgical Procedure/Other Site*.**

**HEMATOPOIETIC/RETICULOENDOTHELIAL/IMMUNOPROLIFERATIVE/  
MYELOPROLIFERATIVE DISEASE  
C42.0, C42.1, C42.3, C42.4 (with any histology) or  
M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989  
(with any site)**

## **REGIONAL LYMPH NODES**

Not applicable. Code 9 for Scope Regional Lymph Node Surgery.

**BONES, JOINTS, AND ARTICULAR CARTILAGE C40.0-C41.9**  
**PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM**  
**C47.0-C47.9**  
**CONNECTIVE, SUBCUTANEOUS, AND OTHER SOFT TISSUES**  
**C49.0-C49.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

## **SURGERY OF PRIMARY SITE**

### **Codes**

- 00 None; no surgery of primary site; autopsy ONLY
- 19 Local tumor destruction or excision, NOS  
**Unknown whether a specimen was sent to pathology for surgical events coded 19 (principally for cases diagnosed prior to January 1, 2003).**
- 15 Local tumor destruction  
**No specimen sent to pathology from surgical event 15.**
- 25 Local excision
- 26 Partial resection  
**Specimen sent to pathology from surgical events 25–26.**
- 30 Radical excision or resection of lesion WITH limb salvage
- 40 Amputation of limb
  - 41 Partial amputation of limb
  - 42 Total amputation of limb
- 50 Major amputation, NOS
  - 51 Forequarter, including scapula
  - 52 Hindquarter, including ilium/hip bone
  - 53 Hemipelvectomy, NOS
  - 54 Internal hemipelvectomy
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**BONES, JOINTS, AND ARTICULAR CARTILAGE C40.0-C41.9**  
**PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM**  
**C47.0-C47.9**  
**CONNECTIVE, SUBCUTANEOUS, AND OTHER SOFT TISSUES**  
**C49.0-C49.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

## REGIONAL LYMPH NODES

Regional lymph node metastasis from bone tumors is extremely rare.

### Abdomen:

- Celiac
- Iliac
- Para-aortic

### Arm/shoulder:

- Axillary
- Epitrochlear **for hand/forearm**
- Spinal accessory (posterior cervical) **for shoulder**

### Head and neck :

All head and neck subsites:  
 Cervical, NOS

#### Eyelid/canthus:

##### Facial, NOS:

- Buccinator (buccal)
- Nasolabial

##### Mandibular, NOS:

- Submandibular (submaxillary)
- Submental

##### Parotid, NOS:

- Infra-auricular

#### External ear/auditory canal:

- Mastoid (post-/retro-auricular)
- Preauricular

#### Face, Other (cheek, chin, forehead, jaw, nose and temple):

##### Facial, NOS:

- Buccinator (buccal)
- Nasolabial

##### Mandibular, NOS:

- Submandibular (submaxillary)
- Submental

##### Parotid, NOS:

- Infra-auricular
- Preauricular

**BONES, JOINTS, AND ARTICULAR CARTILAGE C40.0-C41.9**  
**PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM**  
**C47.0-C47.9**  
**CONNECTIVE, SUBCUTANEOUS, AND OTHER SOFT TISSUES**  
**C49.0-C49.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES (continued)****Head and neck (continued) :****Lip:**

## Facial, NOS:

Buccinator (buccal)

Nasolabial

## Mandibular, NOS:

Submandibular (submaxillary)

Submental

## Parotid, NOS:

Infra-auricular

Preauricular

**Neck:**

Axillary

## Mandibular, NOS:

Submental

Mastoid (post-/retro-auricular)

## Parotid, NOS:

Infra-auricular

Preauricular

Spinal accessory (posterior cervical)

Supraclavicular (transverse cervical)

**Scalp:**

Mastoid (post-/retro-auricular)

## Parotid, NOS:

Infra-auricular

Preauricular

Spinal accessory (posterior cervical)

**Leg/hip:**

Popliteal for heel and calf

Superficial inguinal (femoral)

**Pelvis:**

Deep inguinal, NOS:

Node of Cloquet or Rosenmuller (highest deep inguinal)

Superficial inguinal (femoral)

**Thorax:**

Hilar (bronchopulmonary) (proximal lobar) (pulmonary root)

Mediastinal

**BONES, JOINTS, AND ARTICULAR CARTILAGE C40.0-C41.9**  
**PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM**  
**C47.0-C47.9**  
**CONNECTIVE, SUBCUTANEOUS, AND OTHER SOFT TISSUES**  
**C49.0-C49.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES (continued)**

**Trunk, lower:**

Superficial inguinal (femoral)

**Trunk, upper:**

Axillary

Cervical

Internal mammary

Supraclavicular (transverse cervical)

**SPLEEN  
C42.2**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE**

**Codes**

00 None; no surgery of primary site; autopsy ONLY

19 Local tumor destruction or excision, NOS

**Unknown whether a specimen was sent to pathology for surgical events coded 19 principally for cases diagnosed prior to January 1, 2003).**

21 Partial splenectomy

22 Total splenectomy

80 Splenectomy, NOS

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

**SPLEEN**  
**C42.2**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Not applicable.

Code 9 for Scope Regional Lymph Node Surgery.

**SKIN**  
**C44.0-C44.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE****Codes**

- 00 None; no surgery of primary site; autopsy ONLY
- 10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
  - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
  - 13 Cryosurgery
  - 14 Laser ablation
- No specimen sent to pathology from surgical events 10–14.**
- 20 Local tumor excision, NOS
- 26 Polypectomy
  - 27 Excisional biopsy
- Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
  - 22 Electrocautery
  - 23 Cryosurgery
  - 24 Laser ablation
  - 25 Laser excision
- Specimen sent to pathology from surgical events 20–27.**
- 30 Biopsy of primary tumor followed by a gross excision of the lesion (does not have to be done under the same anesthesia)
- 31 Shave biopsy followed by a gross excision of the lesion
  - 32 Punch biopsy followed by a gross excision of the lesion
  - 33 Incisional biopsy followed by a gross excision of the lesion
  - 34 Mohs surgery, NOS
  - 35 Mohs with 1-cm margin or less
  - 36 Mohs with more than 1-cm margin
- 45 Wide excision or reexcision of lesion or minor (local) amputation with margins more than 1 cm, NOS. Margins MUST be microscopically negative.
- 46 WITH margins more than 1 cm and less than or equal to 2 cm
  - 47 WITH margins greater than 2 cm
- If the excision does not have microscopically negative margins greater than 1 cm, use the appropriate code, 20-36.**
- 60 Major amputation
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**SKIN**  
**C44.0-C44.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

## REGIONAL LYMPH NODES

### Arm/shoulder:

Axillary  
 Epitrochlear **for hand/forearm**  
 Spinal accessory (posterior cervical) **for shoulder**

### Head and neck :

All head and neck subsites:  
 Cervical, NOS

External ear/auditory canal:  
 Mastoid (post-/retro-auricular)  
 Preauricular

Face, Other (cheek, chin, forehead, jaw, nose and temple):

Facial, NOS:  
 Buccinator (buccal)  
 Nasolabial  
 Mandibular, NOS:  
 Submandibular (submaxillary)  
 Submental  
 Parotid, NOS:  
 Infra-auricular  
 Preauricular

Lip:

Facial, NOS:  
 Buccinator (buccal)  
 Nasolabial  
 Mandibular, NOS:  
 Submandibular (submaxillary)  
 Submental  
 Parotid, NOS:  
 Infra-auricular  
 Preauricular

Neck:

Axillary  
 Mandibular, NOS:  
 Submental  
 Mastoid (post-/retro-auricular)  
 Parotid, NOS:  
 Infra-auricular  
 Preauricular  
 Spinal accessory (posterior cervical)  
 Supraclavicular (transverse cervical)

**SKIN**  
**C44.0-C44.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES (continued)**

**Head and neck (continued) :**

Scalp:

Mastoid (post-/retro-auricular)

Parotid, NOS:

Infra-auricular

Preauricular

Spinal accessory (posterior cervical)

**Leg/hip:**

Popliteal **for heel and calf**

Superficial inguinal (femoral)

**Lower trunk:**

Superficial inguinal (femoral)

**Upper trunk:**

Axillary

Cervical

Internal mammary

Supraclavicular (transverse cervical)

**BREAST**  
**C50.0-C50.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

## SURGERY OF PRIMARY SITE

### Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 19 Local tumor destruction, NOS  
**No specimen was sent to pathology for surgical events coded 19 (principally for cases diagnosed prior to January 1, 2003).**
- 20 Partial mastectomy, NOS; less than total mastectomy, NOS
- 21 Partial mastectomy WITH nipple resection
- 22 Lumpectomy or excisional biopsy
- 23 Reexcision of the biopsy site for gross or microscopic residual disease
- 24 Segmental mastectomy (including wedge resection, quadrantectomy, tylectomy)  
**Procedures coded 20–24 remove the gross primary tumor and some of the breast tissue (breast-conserving or preserving). There may be microscopic residual tumor.**
- 30 Subcutaneous mastectomy  
**A subcutaneous mastectomy is the removal of breast tissue without the nipple and areolar complex or overlying skin.**
- 40 Total (simple) mastectomy
- 41 WITHOUT removal of uninvolved contralateral breast
- 43 Reconstruction NOS
- 44 Tissue
- 45 Implant
- 46 Combined (Tissue and Implant)
- 42 WITH removal of uninvolved contralateral breast
- 47 Reconstruction NOS
- 48 Tissue
- 49 Implant
- 75 Combined (Tissue and Implant)

**A total (simple) mastectomy removes all breast tissue, the nipple, and areolar complex. An axillary dissection is not done.**

**For single primaries only, code removal of involved contralateral breast under the data item *Surgical Procedure/Other Site*.**

**If contralateral breast reveals a second primary, each breast is abstracted separately. The surgical procedure is coded 41 for the first primary. The surgical code for the contralateral breast is coded to the procedure performed on that site.**

**BREAST**  
**C50.0-C50.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

## **SURGERY OF PRIMARY SITE (continued)**

### **Codes**

- 50 Modified radical mastectomy
  - 51 WITHOUT removal of uninvolved contralateral breast
  - 53 Reconstruction, NOS
    - 54 Tissue
    - 55 Implant
    - 56 Combined (Tissue and Implant)
  - 52 WITH removal of uninvolved contralateral breast
    - 57 Reconstruction, NOS
    - 58 Tissue
    - 59 Implant
    - 63 Combined (Tissue and Implant)

**Removal of all breast tissue, nipple, areolar complex, and variable amounts of breast skin in continuity with axilla. Specimen may or may not include portion of pectoralis major muscle.**

**If contralateral breast reveals a second primary, it is abstracted separately. The surgical procedure is coded 51 for the first primary. The surgical code for the contralateral breast is coded to the procedure performed on that site.**

**For single primaries only, code removal of involved contralateral breast under the data item *Surgical Procedure/Other Site*.**

- 60 Radical mastectomy, NOS
  - 61 WITHOUT removal of uninvolved contralateral breast
    - 64 Reconstruction, NOS
    - 65 Tissue
    - 66 Implant
    - 67 Combined (Tissue and Implant)
  - 62 WITH removal of uninvolved contralateral breast
    - 68 Reconstruction, NOS
    - 69 Tissue
    - 73 Implant
    - 74 Combined (Tissue and Implant)
- 70 Extended radical mastectomy
  - 71 WITHOUT removal of uninvolved contralateral breast
  - 72 WITH removal of uninvolved contralateral breast
- 80 Mastectomy, NOS\
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**BREAST  
C50.0-C50.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Axillary, NOS:

Level I (low) (superficial), NOS [adjacent to tail of breast]:

Anterior (pectoral)

Lateral (brachial)

Posterior (subscapular)

Level II (mid-level) (central), NOS:

Interpectoral (Rotter's)

Level III (high) (deep), NOS:

Apical (subclavian)

Axillary vein

Infraclavicular (ipsilateral) (subclavicular)

Internal mammary (parasternal)

Intramammary

Subclavicular

Supraclavicular- lymph nodes in the supraclavicular fossa, a triangle defined by the omohyoid muscle and tendon (lateral and superior border), the internal jugular vein (medial border), and the clavicle and subclavian vein (lower border). Adjacent lymph nodes outside this triangle are considered to lower cervical and therefore are distant nodes.

Transpectoral

**CERVIX UTERI  
C53.0-C53.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE**
**Codes**

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

15 Loop Electrocautery Excision Procedure (LEEP)

16 Laser ablation

17 Thermal ablation

**No specimen sent to pathology from surgical events 10–17.**

20 Local tumor excision, NOS

26 Excisional biopsy, NOS

27 Cone biopsy

24 Cone biopsy WITH gross excision of lesion

29 Trachelectomy; removal of cervical stump; cervicectomy

Any combination of 20, 24, 26, 27 or 29 WITH

21 Electrocautery

22 Cryosurgery

23 Laser ablation or excision

25 Dilatation and curettage; endocervical curettage (for in situ only)

28 Loop electrocautery excision procedure (LEEP)

**Specimen sent to pathology from surgical events 20–29.**

30 Total hysterectomy (simple, pan-) WITHOUT removal of tubes and ovaries

**Total hysterectomy removes both the corpus and cervix uteri and may also include a portion of vaginal cuff.**

40 Total hysterectomy (simple, pan-) WITH removal of tubes and/or ovary

**Total hysterectomy removes both the corpus and cervix uteri and may also include a portion of vaginal cuff.**

50 Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy

51 Modified radical hysterectomy

52 Extended hysterectomy

53 Radical hysterectomy; Wertheim procedure

54 Extended radical hysterectomy

60 Hysterectomy, NOS, WITH or WITHOUT removal of tubes and ovaries

61 WITHOUT removal of tubes and ovaries

62 WITH removal of tubes and ovaries

**CERVIX UTERI  
C53.0-C53.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE (continued)**

**Codes**

- 70 Pelvic exenteration
  - 71 Anterior exenteration  
**Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes.**
  - 72 Posterior exenteration  
**Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes.**
  - 73 Total exenteration  
**Includes removal of all pelvic contents and pelvic lymph nodes.**
  - 74 Extended exenteration  
**Includes pelvic blood vessels or bony pelvis.**
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**CERVIX UTERI  
C53.0-C53.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Iliac, NOS:

    Common

    External

    Internal (hypogastric), NOS:

        Obturator

Paracervical

Parametrial

Pelvic, NOS

Sacral, NOS:

    Lateral (laterosacral)

    Middle (promontorial) (Gerota's node)

    Presacral

Uterosacral

## CORPUS UTERI C54.0-C55.9

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

### SURGERY OF PRIMARY SITE

#### Codes

- 00 None; no surgery of primary site; autopsy ONLY
- 19 Local tumor destruction or excision, NOS  
**Unknown whether a specimen was sent to pathology for surgical events coded 19**
- 10 Local tumor destruction, NOS  
 11 Photodynamic therapy (PDT)  
 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)  
 13 Cryosurgery  
 14 Laser  
 15 Loop Electrocautery Excision Procedure (LEEP)  
 16 Thermal ablation  
**No specimen sent to pathology from surgical events 10–16.**
- 20 Local tumor excision, NOS; simple excision, NOS  
 24 Excisional biopsy  
 25 Polypectomy  
 26 Myomectomy  
 Any combination of 20 or 24–26 WITH  
 21 Electrocautery  
 22 Cryosurgery  
 23 Laser ablation or excision  
**Specimen sent to pathology from surgical events 20–26.**
- 30 Subtotal hysterectomy/supracervical hysterectomy/fundectomy WITH or WITHOUT removal of tube(s) and ovary(ies).  
 31 WITHOUT tube(s) and ovary(ies)  
 32 WITH tube(s) and ovary(ies)
- 40 Total hysterectomy (simple, pan-) WITHOUT removal of tube(s) and ovary(ies)  
**Removes both the corpus and cervix uteri. It may also include a portion of the vaginal cuff.**
- 50 Total hysterectomy (simple, pan-) WITH removal of tube(s) and/or ovary(ies)  
**Removes both the corpus and cervix uteri. It may also include a portion of the vaginal cuff.**
- 60 Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy  
 61 Modified radical hysterectomy  
 62 Extended hysterectomy  
 63 Radical hysterectomy; Wertheim procedure  
 64 Extended radical hysterectomy
- 65 Hysterectomy, NOS, WITH or WITHOUT removal of tube(s) and ovary(ies)  
 66 WITHOUT removal of tube(s) and ovary(ies)  
 67 WITH removal of tube(s) and ovary(ies)

**CORPUS UTERI  
C54.0-C55.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE (continued)**

**Codes**

75 Pelvic exenteration

76 Anterior exenteration

**Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes.**

77 Posterior exenteration

**Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes.**

78 Total exenteration

**Includes removal of all pelvic contents and pelvic lymph nodes.**

79 Extended exenteration

**Includes pelvic blood vessels or bony pelvis.**

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

**CORPUS UTERI  
C54.0-C55.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Aortic, NOS:

- Lateral (lumbar)
- Para-aortic
- Periaortic

Iliac:

- Common
- External

Internal (hypogastric), NOS:

- Obturator

Paracervical

Parametrial

Pelvic, NOS

Sacral, NOS:

- Lateral (laterosacral)
- Middle (promontorial) (Gerota's node)
- Presacral

Uterosacral

## OVARY C56.9

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

### SURGERY OF PRIMARY SITE

#### Codes

- 00 None; no surgery of primary site; autopsy ONLY
  
- 17 Local tumor destruction, NOS  
**No specimen sent to pathology from surgical event 17.**
  
- 25 Total removal of tumor or (single) ovary, NOS
  - 26 Resection of ovary (wedge, subtotal, or partial) ONLY, NOS; unknown if hysterectomy done
  - 27 WITHOUT hysterectomy
  - 28 WITH hysterectomy**Specimen sent to pathology from surgical events 25–28.**
  
- 35 Unilateral (salpingo-)oophorectomy; unknown if hysterectomy done
  - 36 WITHOUT hysterectomy
  - 37 WITH hysterectomy
  
- 50 Bilateral (salpingo-)oophorectomy; unknown if hysterectomy done
  - 51 WITHOUT hysterectomy
  - 52 WITH hysterectomy
  
- 55 Unilateral or bilateral (salpingo-)oophorectomy WITH OMENTECTOMY, NOS; partial or total; unknown if hysterectomy done
  - 56 WITHOUT hysterectomy
  - 57 WITH hysterectomy
  
- 60 Debulking; cytoreductive surgery, NOS
  - 61 WITH colon (including appendix) and/or small intestine resection (not incidental)
  - 62 WITH partial resection of urinary tract (not incidental)
  - 63 Combination of 61 and 62**Debulking is a partial or total removal of the tumor mass and can involve the removal of multiple organ sites. It may include removal of ovaries and/or the uterus (a hysterectomy). The pathology report may or may not identify ovarian tissue. A debulking is usually followed by another treatment modality such as chemotherapy.**
  
- 70 Pelvic exenteration, NOS
  - 71 Anterior exenteration  
**Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes.**
  
  - 72 Posterior exenteration  
**Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes.**
  
  - 73 Total exenteration  
**Includes removal of all pelvic contents and pelvic lymph nodes.**
  
  - 74 Extended exenteration  
**Includes pelvic blood vessels or bony pelvis**

**OVARY  
C56.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE (continued)**

**Codes**

80 (Salpingo-)oophorectomy, NOS

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

**OVARY**  
**C56.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Aortic, NOS:

    Lateral (lumbar)

    Para-aortic

    Periaortic

Iliac, NOS:

    Common

    External

    Internal (hypogastric), NOS:

        Obturator

Inguinal

Lateral sacral (laterosacral)

Pelvic, NOS

Retroperitoneal, NOS

Sacral

**PROSTATE  
C61.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

## **SURGERY OF PRIMARY SITE**

**Do not code** an orchiectomy in this field. For prostate primaries, orchiectomies are coded in the data item *Hematologic Transplant and Endocrine Procedures*.

### **Codes**

- 00 None; no surgery of primary site; autopsy **ONLY**
  
- 18 Local tumor destruction or excision, NOS
  
- 19 Transurethral resection (TURP), NOS  
**Unknown whether a specimen was sent to pathology for surgical events coded 18 or 19**
  
- 10 Local tumor destruction, NOS
  - 14 Cryoprostatectomy
  - 15 Laser ablation
  - 16 Hyperthermia
  - 17 Other method of local tumor destruction**No specimen sent to pathology from surgical events 10–17.**
  
- 20 Local tumor excision, NOS
  - 21 Transurethral resection (TURP), NOS
  - 22 TURP—cancer is incidental finding during surgery for benign disease
  - 23 TURP—patient has suspected/known cancer
 Any combination of 20–23 **WITH**
  - 24 Cryosurgery
  - 25 Laser
  - 26 Hyperthermia**Specimen sent to pathology from surgical events 20–26.**
  
- 30 Subtotal, segmental, or simple prostatectomy, which may leave all or part of the capsule intact
  
- 50 Radical prostatectomy, NOS; total prostatectomy, NOS  
**Excised prostate, prostatic capsule, ejaculatory ducts, seminal vesicle(s) and may include a narrow cuff of bladder neck.**
  
- 70 Prostatectomy **WITH** resection in continuity with other organs; pelvic exenteration  
**Surgeries coded 70 are any prostatectomy WITH resection in continuity with any other organs. The other organs may be partially or totally removed. Procedures may include, but are not limited to, cystoprostatectomy, radical cystectomy, and prostatectomy.**
  
- 80 Prostatectomy, NOS
  
- 90 Surgery, NOS
  
- 99 Unknown if surgery performed; death certificate **ONLY**

**PROSTATE  
C61.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Iliac, NOS:

    External

    Internal (hypogastric), NOS:

        Obturator

Pelvic, NOS

Periprostatic

    Sacral, NOS:

        Lateral (laterosacral)

Middle (promontorial) (Gerota's node)

Presacral

**TESTIS**  
**C62.0-C62.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE**

**Codes**

- 00 None; no surgery of primary site; autopsy ONLY
- 12 Local tumor destruction, NOS  
**No specimen sent to pathology from surgical event 12.**
- 20 Local or partial excision of testicle  
**Specimen sent to pathology from surgical event 20.**
- 30 Excision of testicle WITHOUT cord
- 40 Excision of testicle WITH cord/or cord not mentioned (radical orchiectomy)
- 80 Orchiectomy, NOS (unspecified whether partial or total testicle removed)
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**TESTIS**  
**C62.0-C62.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Aortic, NOS

    Lateral (lumbar)

    Para-aortic

    Periaortic

    Preaortic

    Retroaortic

Pericaval, NOS

    Interaortocaval

    Paracaval

    Precaval

Retrocaval

Pelvic, NOS

Retroperitoneal, NOS

Spermatic vein

**KIDNEY, RENAL PELVIS, AND URETER**  
**Kidney C64.9, Renal Pelvis C65.9, Ureter C66.9**  
 (Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

## SURGERY OF PRIMARY SITE

### Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

15 Thermal ablation

**No specimen sent to pathology from this surgical event 10–15.**

20 Local tumor excision, NOS

26 Polypectomy

27 Excisional biopsy

Any combination of 20 or 26–27 WITH

21 Photodynamic therapy (PDT)

22 Electrocautery

23 Cryosurgery

24 Laser ablation

25 Laser excision

**Specimen sent to pathology from surgical events 20–27.**

30 Partial or subtotal nephrectomy (kidney or renal pelvis) or partial ureterectomy (ureter)

**Procedures coded 30 include, but are not limited to:**

Segmental resection; Wedge resection

40 Complete/total/simple nephrectomy—for kidney parenchyma

Nephroureterectomy

**Includes bladder cuff for renal pelvis or ureter.**

50 Radical nephrectomy

**May include removal of a portion of vena cava, adrenal gland(s), Gerota's fascia, perinephric fat, or partial/total ureter.**

70 Any nephrectomy (simple, subtotal, complete, partial, simple, total, radical) in continuity with the resection of other organ(s) (colon, bladder)

**The other organs, such as colon or bladder, may be partially or totally removed.**

80 Nephrectomy, NOS; Ureterectomy, NOS

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

**KIDNEY, RENAL PELVIS, AND URETER**  
**Kidney C64.9, Renal Pelvis C65.9, Ureter C66.9**  
(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

**Kidney**

Aortic, NOS:  
    Lateral (lumbar)  
    Para-aortic  
    Periaortic  
Paracaval  
Renal hilar  
Retroperitoneal, NOS

**Renal Pelvis**

Aortic, NOS:  
    Lateral (lumbar)  
    Para-aortic  
    Periaortic  
Paracaval  
Renal hilar  
Retroperitoneal, NOS

**Ureter**

Iliac, NOS:  
    Common  
    External  
Internal (hypogastric), NOS:  
    Obturator  
Lateral aortic (lumbar)  
Paracaval  
Pelvic, NOS  
Periureteral  
Renal hilar  
Retroperitoneal, NOS

## BLADDER C67.0-C67.9

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

### SURGERY OF PRIMARY SITE

#### Codes

- 00 None; no surgery of primary site; autopsy ONLY
  
  - 10 Local tumor destruction, NOS
    - 11 Photodynamic therapy (PDT)
    - 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
    - 13 Cryosurgery
    - 14 Laser
    - 15 Intravesical therapy
    - 16 Bacillus Calmette-Guerin (BCG) or other immunotherapy

**No specimen sent to pathology from surgical events 10–16.**
  
  - 20 Local tumor excision, NOS
    - 26 Polypectomy
    - 27 Excisional biopsy

Combination of 20 or 26–27 WITH

    - 21 Photodynamic therapy (PDT)
    - 22 Electrocautery
    - 23 Cryosurgery
    - 24 Laser ablation  - 25 Laser excision
- Specimen sent to pathology from surgical events 20–27.**
- 
- 30 Partial cystectomy
- 
- 50 Simple/total/complete cystectomy
- 
- 60 Radical cystectomy (male only)
  - 61 Radical cystectomy PLUS ileal conduit
  - 62 Radical cystectomy PLUS continent reservoir or pouch, NOS
  - 63 Radical cystectomy PLUS abdominal pouch (cutaneous)
  - 64 Radical cystectomy PLUS in situ pouch (orthotopic)
- 
- 70 Pelvic exenteration, NOS
  - 71 Radical cystectomy (female only); anterior exenteration

**A radical cystectomy in a female includes removal of bladder, uterus, ovaries, entire vaginal wall, and entire urethra.**

  - 72 Posterior exenteration
  - 73 Total exenteration

**Includes removal of all pelvic contents and pelvic lymph nodes.**

**The lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery*.**

**BLADDER  
C67.0-C67.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE (continued)**

**Codes**

74 Extended exenteration

**Includes pelvic blood vessels or bony pelvis.**

80 Cystectomy, NOS

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

**BLADDER**  
**C67.0-C67.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Iliac, NOS:

External

Internal (hypogastric), NOS:

Obturator

Pelvic, NOS

Perivesical

Sacral, NOS

Lateral (laterosacral)

Middle (promontorial) (Gerota's node)

Presacral

**BRAIN**  
**Meninges C70.0-C70.9, Brain C71.0-C71.9, Spinal Cord, Cranial Nerves**  
**and Other Parts of Central Nervous System C72.0-C72.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE**

**Do not code** laminectomies for spinal cord primaries.

**Codes**

00 None; no surgery of primary site; autopsy ONLY

10 Tumor destruction, NOS

**No specimen sent to pathology from surgical event 10.**

**Do not record stereotactic radiosurgery as tumor destruction. It should be recorded in the radiation treatment items.**

20 Local excision (biopsy) of lesion or mass

**Specimen sent to pathology from surgical event 20.**

40 Partial resection

55 Gross total resection

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

**BRAIN**

**Meninges C70.0-C70.9, Brain C71.0-C71.9, Spinal Cord, Cranial Nerves  
and Other Parts of Central Nervous System C72.0-C72.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Not applicable.

Code 9 for Scope of Regional Lymph Node Surgery.

**THYROID  
C73.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE****Codes**

- 00 None; no surgery of primary site; autopsy ONLY
- 13 Local tumor destruction, NOS  
**No specimen sent to pathology from surgical event 13.**
- 25 Removal of less than a lobe, NOS
  - 26 Local surgical excision
  - 27 Removal of a partial lobe ONLY**Specimen sent to pathology from surgical events 25–27.**
- 20 Lobectomy and/or isthmectomy
  - 21 Lobectomy ONLY
  - 22 Isthmectomy ONLY
  - 23 Lobectomy WITH isthmus
- 30 Removal of a lobe and partial removal of the contralateral lobe
- 40 Subtotal or near total thyroidectomy
- 50 Total thyroidectomy
- 80 Thyroidectomy, NOS
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**THYROID  
C73.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Anterior deep cervical (laterotracheal) (recurrent laryngeal):

Paralaryngeal

Paratracheal

Prelaryngeal:

Delphian node

Pretracheal

Cervical, NOS

Internal jugular, NOS:

Deep cervical, NOS:

Lower, NOS:

Jugulo-omohyoid (supraomohyoid)

Middle

Mediastinal, NOS

Posterior mediastinal (tracheoesophageal)

Upper anterior mediastinal

Retropharyngeal

Spinal accessory (posterior cervical)

Submandibular

Submental

Supraclavicular (transverse cervical)

**LYMPH NODES  
C77.0-C77.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE****Codes**

- 00 None; no surgery of primary site; autopsy ONLY
- 19 Local tumor destruction or excision, NOS  
**Unknown whether a specimen was sent to pathology for surgical events coded to 19 (principally for cases diagnosed prior to January 1, 2003).**
- 15 Local tumor destruction, NOS  
**No specimen sent to pathology from surgical event 15.**
- 25 Local tumor excision, NOS  
**Less than a full chain, includes an excisional biopsy of a single lymph node.**
- 30 Lymph node dissection, NOS
  - 31 One chain
  - 32 Two or more chains
- 40 Lymph node dissection, NOS PLUS splenectomy
  - 41 One chain
  - 42 Two or more chains
- 50 Lymph node dissection, NOS and partial/total removal of adjacent organ(s)
  - 51 One chain
  - 52 Two or more chains
- 60 Lymph node dissection, NOS and partial/total removal of adjacent organ(s) PLUS splenectomy.  
(Includes staging laparotomy for lymphoma.)
  - 61 One chain
  - 62 Two or more chains
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY

**LYMPH NODES**  
**C77.0-C77.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

Not applicable.

Code 9 for Scope of Regional Lymph Node Surgery.

**ALL OTHER SITES**

**C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9**

(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE****Codes**

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

**No specimen sent to pathology from surgical events 10–14.**

20 Local tumor excision, NOS

26 Polypectomy

27 Excisional biopsy

Any combination of 20 or 26–27 WITH

21 Photodynamic therapy (PDT)

22 Electrocautery

23 Cryosurgery

24 Laser ablation

25 Laser excision

**Specimen sent to pathology from surgical events 20–27.**

30 Simple/partial surgical removal of primary site

40 Total surgical removal of primary site; enucleation

41 Total enucleation (for eye surgery only)

50 Surgery stated to be “debulking”

60 Radical surgery

**Partial or total removal of the primary site WITH a resection in continuity (partial or total removal) with other organs.**

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

**ALL OTHER SITES**

**C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9**

(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES****Accessory Sinuses (maxillary sinus, ethmoid sinus, frontal sinus, sphenoid sinus)**

Cervical, NOS

Internal jugular, NOS:

Deep cervical, NOS:

Upper, NOS:

Jugulodigastric (subdigastric)

Mandibular, NOS:

Submandibular (submaxillary)

Submental

Retropharyngeal

**Adrenal gland**

Retroperitoneal

**Ampulla of Vater**

Celiac

Hepatic

Infrapyloric (subpyloric)

Lateral aortic (lumbar)

Node of the foramen of Winslow (epiploic) (omental)

Pancreaticoduodenal

Peripancreatic

Periportal

Proximal mesenteric

Pyloric

Retroperitoneal

Superior mesenteric

Lymph Nodes:

Anterior to ampulla of Vater

Inferior to ampulla of Vater

Posterior to ampulla of Vater

Superior to ampulla of Vater

Endocrine Glands, other and related structures (parathyroid gland, pituitary gland, craniopharyngeal duct, pineal gland, carotid body, aortic body, endocrine gland, NOS)

**Cervical for carotid body and parathyroid only**

**Mediastinal for aortic body and thymus only**

Not applicable, for the following sites:

Craniopharyngeal duct (C75.2); Pituitary gland (C75.1); Pineal gland (C75.3)

**ALL OTHER SITES**

**C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9**

(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES (continued)****Epididymis, Spermatic cord, Scrotum, NOS, Other specified parts of male genital organs, overlapping lesion of male genital organs, Male genital organs, NOS**

Iliac, NOS:

External

Internal (hypogastric), NOS: Obturator

Inguinal, NOS:

Deep, NOS

Node of Cloquet or Rosenmuller (highest deep inguinal)

Superficial inguinal (femoral)

Pelvic, NOS

**Extrahepatic bile duct**

Cystic duct (Calot's node)

Node of the foramen of Winslow (epiploic) (omental)

Pancreaticoduodenal

Pericholedochal (common bile duct)

Periduodenal

Peripancreatic (near head of pancreas only)

Periportal

Porta hepatis (portal) (hilar) [in hilus of liver]

**Eye and Adnexa**

Cervical

Mandibular, NOS:

Submandibular (submaxillary)

Parotid, NOS:

Infra-auricular; Preauricular

**Female Genital Organs (fallopian tube, broad ligament, round ligament, parametrium, uterine adnexa)**

Aortic, NOS

Lateral (lumbar); Para-aortic; Periaortic

Iliac, NOS:

Common

External

Internal (hypogastric), NOS: Obturator

Inguinal

Lateral sacral (laterosacral)

Pelvic, NOS

Presacral

Retroperitoneal, NOS

**ALL OTHER SITES**

**C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1,  
C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9,  
C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9,  
C74.0–C74.9, C75.0–C75.9**

(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES (continued)****Gallbladder, Overlapping lesion of biliary tract and biliary tract, NOS**

Celiac  
Cystic duct (Calot's node)  
Node of the foramen of Winslow (epiploic) (omental)  
Pancreaticoduodenal  
Pericholedochal (common bile duct)  
Periduodenal  
Peripancreatic (near head of pancreas only)  
Periportal  
Porta hepatis (portal) (hilar) [in hilus of liver]  
Superior mesenteric

**Heart and Mediastinum**

Aortic [above diaphragm], NOS:  
  Peri/para-aortic, NOS:  
    Ascending aorta (phrenic)  
    Subaortic (aortico-pulmonary window)  
Carinal (tracheobronchial) (tracheal bifurcation)  
Mediastinal, NOS: Anterior; Posterior (tracheoesophageal)  
Pericardial  
Peri/paraesophageal  
Peri/paratracheal, NOS:  
  Azygos (lower peritracheal)  
Pre- and retrotracheal, NOS: Precarinal  
Pulmonary ligament  
Subcarinal

**Intestinal Tract, NOS, Overlapping lesion of digestive system, Gastrointestinal tract, NOS**

Intra-abdominal  
Paracaval  
Pelvic  
Subdiaphragmatic

**Male Genital Organs (prepuce, glans penis, body of penis, penis, NOS)**

Iliac, NOS  
  External  
  Internal (hypogastric), NOS: Obturator  
Inguinal:  
  Deep, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal)  
  Superficial (femoral)  
Pelvic, NOS

**ALL OTHER SITES**

**C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9**

(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES (continued)****Nasal Cavity and Middle Ear**

Cervical, NOS

Internal jugular, NOS:

Deep cervical, NOS:

Upper, NOS: Jugulodigastric (subdigastric)

Mandibular, NOS:

Submandibular (submaxillary)

Submental

Mastoid (post-/retro-auricular) **for middle ear**

Retropharyngeal

**Placenta**

Aortic, NOS: Lateral (lumbar)

Para-aortic

Peri-aortic

Iliac, NOS: Common

External

Internal (hypogastric), NOS: Obturator

Parametrial

Pelvic, NOS

Sacral: Lateral (laterosacral)

Middle (promontorial) (Gerota's node)

Presacral

Uterosacral

**Pleura**

Aortic [above diaphragm], NOS: Peri/para-aortic, NOS: Ascending aorta (phrenic)

Subaortic (aortico-pulmonary window)

Carinal (tracheobronchial) (tracheal bifurcation)

Hilar (bronchopulmonary) (proximal lobar) (pulmonary root)

Internal Mammary

Intrapulmonary, NOS: Interlobar, Lobar, Segmental, Subsegmental

Intrathoracic

Mediastinal, NOS: Anterior and Posterior (tracheoesophageal)

Pericardial

Peri/parabronchial

Peri/paraesophageal

Peri/paratracheal, NOS: Azygos (lower peritracheal)

Pre- and retrotracheal, NOS: Precarinal

Pulmonary ligament

Scalene

Subcarinal

Supraclavicular

**ALL OTHER SITES**

**C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1,  
C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9,  
C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9,  
C74.0–C74.9, C75.0–C75.9**

(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES (continued)****Respiratory System and Intrathoracic Organs, Other and Ill-defined Sites**

Aortic [above diaphragm], NOS:

Peri/para-aortic, NOS:

Ascending aorta (phrenic)

Subaortic (aortico-pulmonary window)

Carinal (tracheobronchial) (tracheal bifurcation)

Hilar (bronchopulmonary) (proximal lobar) (pulmonary root)

Intrapulmonary, NOS:

Interlobar

Lobar

Segmental

Subsegmental

Mediastinal, NOS:

Anterior & Posterior (tracheoesophageal)

Pericardial

Peri/parabronchial

Peri/paraesophageal

Peri/paratracheal, NOS:

Azygos (lower peritracheal)

Pre-and retrotracheal, NOS:

Prearinal

Pulmonary ligament

Subcarinal

**Retroperitoneum and Peritoneum**

Intra-abdominal

Paracaval

Pelvic

Subdiaphragmatic

**Small Intestine**

Pericholedochal (common bile duct)

Superior mesenteric

**Duodenum:**

Duodenal

Gastroduodenal

Hepatic

Infrapyloric (subpyloric)

Pancreaticoduodenal

Pericholedochal

Pyloric

Superior mesenteric

**ALL OTHER SITES**

**C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9**

(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES (continued)****Small Intestine (continued)****Jejunum and Ileum:**

Ileocolic **for terminal ileum only**

Mesenteric, NOS

Posterior cecal (retrocecal) **for terminal ileum only**

Superior mesenteric

**Thymus**

Mediastinal

**Trachea**

Mediastinal, NOS

Posterior (tracheoesophageal)

Paratracheal

Pretracheal

Tracheal, NOS

**Urinary organs, other and unspecified (urethra, paraurethral gland)**

Iliac, NOS

Common

External

Internal (hypogastric), NOS: Obturator

Inguinal:

Deep, NOS:

Node of Cloquet or Rosenmuller (highest deep inguinal)

Superficial (femoral)

Pelvic, NOS

Presacral

Sacral, NOS

**Vagina****All parts of vagina:**

Pelvic lymph nodes:

Iliac, NOS:

Common

External

Internal (hypogastric), NOS: Obturator

Inguinal

Middle sacral (promontorial) (Gerota's node)

Pelvic, NOS

**Lower third of vagina:**

Ipsilateral or bilateral:

Inguinal, NOS: Superficial (femoral)

**ALL OTHER SITES**

**C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1,  
C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9,  
C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9,  
C74.0–C74.9, C75.0–C75.9**

(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES (continued)****Vagina (continued)****Upper two-thirds of vagina:**

Iliac, NOS:

External

Internal (hypogastric)

Orturator

Pelvic, NOS

**Vulva**

Inguinal, NOS:

Deep, NOS:

Node of Cloquet or Rosenmuller (highest deep inguinal)

Superficial (femoral)

**Waldeyer ring and Overlapping lesion of lip, oral cavity and pharynx**

Cervical, NOS

Internal jugular, NOS:

Deep cervical, NOS:

Lower, NOS:

Jugulo-omohyoid (supraomohyoid)

Middle

Upper, NOS:

Jugulodigastric (subdigastric)

Mandibular, NOS:

Submandibular (submaxillary)

Submental

Parapharyngeal

Paratracheal

Recurrent pharyngeal nerve chain

Prelaryngeal

Delphian node

Retropharyngeal

**UNKNOWN AND ILL-DEFINED PRIMARY SITES  
C76.0-C76.8, C80.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**SURGERY OF PRIMARY SITE**

**Code**

98 All unknown and ill-defined disease sites, WITH or WITHOUT surgical treatment.

**Surgical procedures for unknown and ill-defined primaries are to be recorded using the data item *Surgical Procedure/Other Site*.**

**UNKNOWN AND ILL-DEFINED PRIMARY SITES  
C76.0-C76.8, C80.9**

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

**REGIONAL LYMPH NODES**

**Other and ill-defined sites**

Not applicable.

Code 9 for Scope Regional Lymph Node Surgery.

**Unknown Primary Site**

Not applicable.

Code 9 for Scope Regional Lymph Node Surgery.