

Prevalence by VA Health District

Diabetes Prevalence by Health District, VA 2005

VA Health District	Diabetes Prevalence Rate
Alexandria	3.1%
Alleghany	8.8%
Arlington	4.6%
Central Shenandoah	5.6%
Central Virginia	6.2%
Chesapeake	7.3%
Chesterfield	9.9%
Crater	12.6%
Cumberland Plateau	7.3%
Eastern Shore	15.4%
Fairfax	1.6%
Hampton	6.8%
Chickahominy (formerly Hanover)	4.1%
Henrico	2.8%
Lenowisco	14.2%
Lord Fairfax	10.9%
Loudon	3.2%
Mount Rogers	12.3%
New River	9.5%
Norfolk	7.9%
Peninsula	7.9%
Piedmont	10.0%
Pittsylvania/Danville	9.0%
Portsmouth	10.8%
Prince William	4.5%
Rappahannock	5.0%
Rappahannock/Rapidan	8.1%
Richmond	9.1%
Roanoke	7.1%
Southside	10.9%
Thomas Jefferson	7.9%
Three Rivers	8.9%
Virginia Beach	6.0%
West Piedmont	9.2%
Western Tidewater	9.1%
State Rate	6.9%

- In 2005, the health districts with the highest prevalence of diabetes were: 1. Eastern Shore, 2. Lenowisco, 3. Crater, 4. Mount Rogers, and 5. Lord Fairfax and Southside.

Source: BRFSS, VA 2005. Data Note: Percents are weighted towards annual population estimates.